# New Jersey Department of Health and Senior Services Communicable Disease Service Influenza Activity Summary Week Ending April 02, 2011 (MMWR Week 13)

#### **Influenza Activity Level: REGIONAL**


<u>Interpretation:</u> Seven counties, one in the northwest, two in the northeast, one in the central west, two in the central east and one in the south public health region, experienced increases in ILI activity and no counties experienced an outbreak in a long term care facility. A total of three counties have had increases in ILI activity, lab confirmed influenza and/or outbreaks in long term care facilities keeping the state activity level at regional. NJ has experienced sporadic activity during this same week in the 2009-2010 season and during the 2008-2009 influenza season regional activity was detected.

**No Activity:** No increase in ILI activity detected AND no laboratory-confirmed cases of influenza in the previous 3 weeks

**Sporadic:** No increase in ILI activity detected **AND** laboratory-confirmed-cases anywhere in the state within previous 3 weeks **OR** at least one laboratory-confirmed outbreak in an institution anywhere in the state **Local:** Increases in ILI activity detected in a single county **AND** laboratory-confirmed cases from that same county within the previous 3 weeks **OR** confirmed outbreaks in 2 or more institutions in a single county **Regional:** Increases in ILI activity detected in  $\geq 2$  but  $\leq 10$  counties **AND** laboratory confirmed cases from these same counties in the past 3 weeks **OR** confirmed outbreaks institutions in  $\geq 2$  but  $\leq 10$  counties **Widespread:** Increases in ILI activity detected in > 10 counties **OR** institutional outbreaks in > 10 counties **AND** laboratory-confirmed influenza cases in previous 3 weeks.

**Note:** Systems used to detect changes in ILI activity include: ILINet (i.e., sentinel providers), school absenteeism data, ED ILI visits and admission collected via Hippocrates and EpiCenter systems, LTCF ILI data, LTCF outbreak data, and information on influenza mortality (122 city, influenza associated death report). Virologic surveillance data from PHEL will be used as the primary data source for the above levels. However, rapid influenza test data and commercial laboratory data will also be considered when determining the appropriate activity levels.

#### Statewide Influenza Activity Levels



#### **Regional Data**

Region	Counties in Region	<b>Activity Level</b>
NW Region	Morris, Passaic, Sussex, Warren	LOCAL
NE Region	Bergen, Essex, Hudson	LOCAL
CW Region	Hunterdon, Mercer, Somerset	LOCAL
CE Region	Middlesex, Monmouth, Ocean, Union	LOCAL
South Region	Atlantic, Burlington, Camden, Cape May, Salem,	LOCAL
	Cumberland, Gloucester	

No Activity- No increase in ILI activity detected **AND** no laboratory-confirmed cases in the public health region Sporadic – No increase in ILI activity detected **AND** laboratory-confirmed cases anywhere in the public health region **OR** at least one laboratory confirmed outbreak in an institution anywhere in the public health region Local – Increases in ILI activity detected in a single county of the public health region **AND** laboratory-confirmed cases from that same county within the previous 3 weeks (other counties may be above baseline without lab confirmed cases) **OR** confirmed outbreaks in 2 or more institutions in a single county of a public health region Regional – Increases in ILI activity detected in at least half of the counties of public health region **AND** laboratory-confirmed cases from these same counties in the past 3 weeks **OR** confirmed outbreaks institutions in at least half of counties of public health region counties

Widespread - Not used for public health region data


#### **Influenza Hospitalizations/Deaths**

Influenza-associated hospitalizations are reported daily from hospital facilities using the Hippocrates or EpiCenter data systems. Data is aggregated by week and a percentage of admissions (i.e., number of admission associated with ILI divided by total admissions) is calculated. Additionally, a subset of these facilities also report hospitalization by age group (data not shown). Data from influenza-associated deaths are extracted from CDRSS. Only deaths associated with laboratory-confirmed influenza are included in these statistics.

NJ Influenza-Associated Hospitalizations and Deaths by Current MMWR week and Cumulative Total -Week 40 ( 2010) to present						
Hospitalizations** Death						
Week 13	180	0				
Cumulative	5291	8				


<sup>\*\*</sup>Data represents both laboratory confirmed and syndromic illness. This number represents almost all acute care facilities in NJ and is not longer a subset. This reporting differs from information previously published during the 2009-2010 season and cannot be compared.

#### Percent Admission- ILI



### <u>Syndromic Surveillance – Enhanced Emergency Department (ED) Surveillance for Influenza-like Illness (ILI)</u>

**NOTE**: The number of ED visits, hospital admissions, ED visits due to ILI, and hospital admissions due to ILI are reported each day by acute care facilities statewide. These data are captured via daily surveys sent using the Hippocrates system or electronic data feeds from EpiCenter.



Line Plot of %ILI Among ED Visits (Mean) and %ILI Admits Among ED Admits (Mean)

#### Summary of Emergency Department (ED) Visits and Admits Surveillance

During 3/27/11 - 4/2/11, daily surveillance for ED visits and admissions from 76 of 78 acute care facilities resulted in five ED visit blips (two in Mercer; one in Bergen, Burlington, and Monmouth) and three admission blips (one in each, Monmouth, Sussex, and Union). During 3/27/11 - 4/2/11, the daily facility response rate ranged from 83% to 92% with an average of 89% for the week. Five visit and three admission blip responses were received and none was ILI-related.

Summary of Enhanced Emergency Department (ED) Surveillance for Influenza-like Illness (ILI) During 3/27/11 - 4/2/11, 76 of 78 acute care facilities reported an aggregate total of 2147 ED visits due to ILI (4% of total ED visits) and an aggregate total of 180 admissions due to ILI (8% of total ILI ED visits). During 3/27/11 - 4/2/11, the daily facility response rate ranged from 83% to 92% with an average of 89% for the week. These reports resulted in 10 ED ILI visit blips (two in each, Bergen and Essex; one in each, Camden, Mercer, Middlesex, Monmouth, Salem-Cumberland, and Union). There was no change in ILI activity for the week ending 4/2/11 when compared to the previous week ending 3/26/11 ( *p*= 0.45). The mean daily percentage of ED visits for ILI during the week ending 4/2/11 was 3.1%, compared to 3.2% for the previous week. The mean percentage of ED visits due to ILI ranged from 2.7% to 3.7% during 3/27/11 - 4/2/11. The mean percentage of ED visits due to ILI (averaged over the previous four influenza seasons) for this same week (MMWR Week 13) was approximately 4%.


#### **Laboratory Surveillance**

As of week 13, 537 samples have been found to be positive by viral culture or PCR for influenza AH1, AH3, novel AH1N1 or influenza B. Please see graphs on next page for weekly distribution of influenza test performed by PCR and rapid antigen tests.


	A H1	A H3	A (subtyping not done)	B	2009 Influenza A H1N1	A H1	A H3	A (subtyping not done)	11,12 B	2009 Influenza A H1N1
<b>Atlantic County</b>	0	26	0	6	7	0	0	0	0	0
<b>Bergen County</b>	0	34	0	8	5	0	0	0	0	0
<b>Burlington County</b>	0	3	0	0	0	0	0	0	0	0
<b>Camden County</b>	0	10	0	1	9	0	1	0	1	1
<b>Cape May County</b>	0	10	0	2	5	0	0	0	0	0
<b>Cumberland County</b>	0	3	0	3	2	0	0	0	1	0
<b>Essex County</b>	0	5	0	5	2	0	0	0	2	0
<b>Gloucester County</b>	0	5	0	4	42	0	0	0	1	0
<b>Hudson County</b>	0	0	0	0	0	0	0	0	0	0
<b>Hunterdon County</b>	0	27	0	3	5	0	0	0	2	0
Mercer County	0	18	0	7	10	0	0	0	1	0
Middlesex County	0	14	0	10	22	0	0	0	1	1
<b>Monmouth County</b>	0	10	0	6	17	0	0	0	0	0
<b>Morris County</b>	0	27	0	8	12	0	1	0	4	4
Ocean County	0	0	0	0	1	0	0	0	0	0
Passaic County	0	9	0	1	1	0	0	0	0	0
Salem County	0	0	0	0	0	0	0	0	0	0
Somerset County	0	8	0	0	0	0	0	0	0	0
Sussex County	0	3	0	0	1	0	0	0	0	0
<b>Union County</b>	0	33	0	9	22	0	1	0	2	2
Warren County	0	26	0	12	18	0	0	0	4	1
Unknown	0	0	0	0	0	0	0	0	0	0
State Total	0	271	0	85	181	0	3	0	19	9

<sup>\*</sup>Rapid influenza test data is acquired from facilities reporting rapid influenza tests via NREVSS or CDRSS ILI module. Culture/PCR results are obtained from the LIMS system at PHEL. The county of the facility reporting is utilized to report the laboratory findings.

# Influenza Laboratory Report Positive Specimens by PCR and Culture by Week 2010-2011 Influenza Season



#### Influenza Rapid Antigen Tests Total and Percent Positive 2010-2011 Influenza Season




#### <u>Influenza-like Illness (ILI) Surveillance\*</u>

#### **Long-term Care Facilities**

During week 13, 0.66% ILI was reported statewide from long term care facilities. This is an increase compared to the previous week (0.56%). The percent ILI for each county ranged from 0.00% to 2.19%. The percent ILI for this same week last year was 0.58% in long-term care facilities. The percent ILI for the northwest (0.85%), northeast (0.90%), and central west (0.73%) public health regions were above the state baseline (0.66%). No new reports of respiratory outbreaks in an institutional setting were received in week 13.


#### Influenza-like Activity - Long Term Care Facilities



#### **School Absenteeism**

During week 13, schools reported 4.78% absenteeism. This is a decrease compared to the previous week (4.95%). The percent absenteeism for each county ranged from 3.26 to 7.45%. The percent absent for this same week last year was 6.18%. The percent absenteeism for no public health region was found to be at or above the state baseline (5.42%).

#### **School Absenteeism**




#### **Emergency Departments**

**NOTE:** Data presented below is from daily ED data extracted from Hippocrates survey responses of EpiCenter on the Tuesday of each week. Because this data only represents one day of data, it is likely less accurate for detecting true trends than the syndromic data presented above.


During week 13, 3.33% of ILI was reported statewide from emergency departments. This is a decrease compared to the previous week (3.85%). The percent ILI for each county ranged from 0.00 to 7.53%. The percent ILI for this same week last year was 3.82% in emergency departments. The percent ILI for the northwest (2.91%), northeast (3.24%), central west (3.91%) and central east (4.59%) public health region was found to be above the state baseline (2.84%).

#### Influenza-like Activity - Emergency Departments



#### **Sentinel Provider Surveillance**

During week 13, 1.38% of sentinel provider patient visits were due to ILI. These data reflect reports from seven (10%) of the 70 enrolled sentinel providers. Sentinel provider patient visits due to ILI in week 12 was 2.03%. These data reflect reports from sixteen (23%) of the 70 enrolled sentinel providers. The 5-year average of sentinel provider patient visits due to ILI is 2.53%.



#### Pediatric Influenza Surveillance

To date, NJDHSS has received 47 reports of pediatric influenza meeting the case definition.


#### **122 City Mortality Report**

During week 12, 8.28% of all deaths reported by the vital statistics offices in 6 New Jersey cities (i.e., Camden, Elizabeth, Jersey City, Newark, Paterson, Trenton) were due to pneumonia or influenza. This is an increase compared to the previous week (3.75%). The percentage of death due to pneumonia or influenza for this same week last year was 7.52%.

10

#### **RSV Reports**

During week 12, 8.00% of all RSV samples tested were positive. This is a decrease from the previous week 13.65%. The percent of samples positive for RSV for this same week last year was 5.81%.



#### **Additional Information**

For additional information regarding influenza surveillance please visit the following websites.

http://nj.gov/health/flu/surveillance.shtml http://www.cdc.gov/flu/

#### Technical notes:

- Baseline is calculated by taking the average of statewide percentages of ILI for a 5 year (2006, 2007,2008, 2009, 2010) period during months when influenza is less likely to be circulating (May-August). MMWR week 53 occurred in the 2008-2009 influenza season only, for seasons occurring 2005-2008 an average of the two weeks adjoining week 53 were used.
- Five year average is an average of the 2005-2006, 2006-2007, 2007-2008, 2008-2009, 2009-2010 influenza seasons.

Communicable Disease Reporting and Surveillance System

## NJ ACTIVE INFLUENZA-LIKE ILLNESS SURVEILLANCE STATISTICS SURVEILLANCE DATE: 03/29/2011 to 03/29/2011





	]	Long Term Car	e		Schools		Hospital Emergency Department			
County	# Enrolled	# Reports Rec'd	% ILI	# Enrolled	# Reports Rec'd	% Absent	# Enrolled	# Reports Rec'd	% ILI	
March, 29, 2011 12:00 AM MN	IRW WEEK 13									
ATLANTIC	4	2	0.36	19	10	5.51	5	4	0.64	
BERGEN	3	2	0.00	35	22	4.46	5	5	2.07	
BURLINGTON	6	2	0.00	115	54	4.29	3	3	0.97	
CAMDEN	5	0	0.00	17	0	0.00	7	6	2.00	
CAPE MAY	6	0	0.00	11	0	0.00	1	1	7.50	
CUMBERLAND	6	2	0.89	18	7	7.45	3	2	0.00	
ESSEX	25	8	0.92	46	11	3.69	11	6	3.71	
GLOUCESTER	5	5	0.23	6	4	3.34	2	1	0.67	
HUDSON	13	2	2.19	127	68	5.17	6	5	4.02	
HUNTERDON	4	4	0.24	8	8	3.26	1	1	0.00	
MERCER	11	2	1.51	26	21	4.65	5	5	4.92	
MIDDLESEX	2	0	0.00	136	0	0.00	5	5	4.58	
MONMOUTH	14	1	0.00	24	12	6.50	5	5	4.17	
MORRIS	4	0	0.00	5	0	0.00	4	2	1.76	
OCEAN	7	0	0.00	80	7	6.42	4	4	6.90	
PASSAIC	9	3	0.16	31	16	4.65	3	0	0.00	
SALEM	4	0	0.00	19	0	0.00	1	1	0.00	
SOMERSET	6	2	0.94	85	23	3.62	2	1	1.83	
SUSSEX	5	5	1.44	22	22	4.76	2	2	7.53	
UNION	4	2	0.00	195	28	4.16	5	4	1.80	
WARREN	8	2	0.51	36	16	6.71	2	1	0.00	
NW Region	26	10	0.85	94	54	5.21	11	5	2.91	
NE Region	41	12	0.90	208	101	4.95	22	16	3.24	
CW Region	21	8	0.73	119	52	3.99	8	7	3.91	
CE Region	27	3	0.00	435	47	5.25	19	18	4.59	
South Region State Total	36 <b>151</b>	11 <b>44</b>	0.40 <b>0.66</b>	205	75 <b>329</b>	4.71 <b>4.78</b>	22 <b>82</b>	18 <b>64</b>	1.54	
State Total	151	44	0.00	1061	329	4./8	82	04	3.33	
User Name: FINK, AMY	ı		l		I	I	l		Page 1 of 1	

User Name: FINK, AMY

Page 1 of 1

Communicable Disease Reporting and Surveillance System

### NJ ACTIVE INFLUENZA-LIKE ILLNESS SURVEILLANCE STATISTICS SURVEILLANCE DATE: 03/29/2011 to 03/29/2011



					SENIOR SERVICES
	RSV	Tests	Flu Tests		
County	# Positive	Total Tests Performed	# Positive	Total Tests Performed	
March, 29, 2011 12:00 AM MN	IRW WEEK	13			
ATLANTIC	1	7	0	0	
BERGEN	0	22	1	32	
BURLINGTON	0	16	3	45	
CAMDEN	1	15	0	0	
CAPE MAY	0	0	0	0	
CUMBERLAND	1	25	0	0	
ESSEX	6	50	5	158	
GLOUCESTER	3	17	0	0	
HUDSON	2	33	0	0	
HUNTERDON	3	12	7	36	
MERCER	3	20	1	5	
MIDDLESEX	2	73	0	0	
MONMOUTH	5	61	6	145	
MORRIS	0	0	0	0	
OCEAN	0	0	0	0	
PASSAIC	0	0	0	0	
SALEM	0	0	0	0	
SOMERSET	0	0	0	0	
SUSSEX	2	12	1	21	
UNION	0	6	0	2	
WARREN	1	6	1	22	
NW Region NE Region CW Region CE Region South Region	3 8 6 7 6	18 105 32 140 80	2 6 8 6 3	43 190 41 147 45	
State Total	30	375	25	466	